PERTUSSIS DR LEANNE JONES



- PERTUSSIS SYMPTOMS JUST LIKE ANY OTHER RESPIRATORY TRACT INFECTION
- FEVER
- COUGH
- HALF THE CASES 2011-2018 OCCURRED IN ADULTS
- BY TIME OF DIAGNOSIS OFTEN TOO LATE FOR TREATMENT VACCINATION BEST APPROACH
- 80% OF AUSTRALIAN ADULTS NOT PROTECTED



NIP

6 WEEKS

4 MONTHS

6 MONTHS

18 MONTHS

4 YEARS

12-13 YEARS


EVERY PREGNANCY FROM 20 WEEKS





UNFUNDED BUT RECOMMENDED

- HEALTH CARE WORKERS
- EARLY CHILDHOOD EDUCATORS AND CHILDCARE WORKERS
- FAMILY MEMBERS OF INFANTS COCOONING
- TETANUS PRONE INJURIES
- AGE 65
- TRAVELLERS
- ANYONE WHO ASKS



f /IMMUNISATIONCOALITION

У @IMMUNISATIONGAP







WHO WE ARE

IMMUNISATION

NEWS & MEDIA

EVENTS

RESOURCES

SEARCH Q







Immunisation Coalition

11 hours ago

From our friends at Health Direct!



When to get the flu shot in Australia in 2019

healthdirect.gov.au

Confirmed cases of influenza in Australia have been unusually high recently, so it's a good time to consider getting the flu shot which offers 3 to 4 months' protection.

View on Facebook · Share

FOLLOW US ON









Latest News All News →







